



Redox

IMPROVES METABOLIC ACTIVITY & GREENS NUTRITION

**GUARANTEED ANALYSIS**

- Nitrogen (N).....1%
  - 0.2%.....Ammoniacal Nitrogen
  - 0.8%...Other Water Soluble Nitrogen
- Available Phosphate (P<sub>2</sub>O<sub>5</sub>) .....5%
- Soluble Potash (K<sub>2</sub>O) .....5%
- Boron (B)..... 0.2%
- Copper (Cu) .....0.2%
- Iron (Fe)..... 0.8%
- Manganese (Mn) ..... 0.5%
  - 0.5%...Water Soluble Manganese (Mn)
- Molybdenum (Mo) ..... 0.001%
- Zinc (Zn) ..... 0.6%



**WHY  ?**

**TurfRx Green** is a complete multi-nutritional fertilizer specifically formulated to improve turf metabolic activity and nutritional balance on golf greens. Formulated with proprietary carbon compounds, **TurfRx Green** will reduce mowing height stress, improve plant vigor, and increase overall playing surface performance and color.

**PRODUCT USAGE**

Greens Performance	Apply 1.5-9 oz./1000 ft <sup>2</sup> (4.8-29 L/Ha) as a foliar/soil application every 1 to 2 weeks. Water in.
Color	Apply 1.5-9 oz./1000 ft <sup>2</sup> (4.8-29 L/Ha) as a foliar application. Repeat every 1 to 4 weeks. Water in.
Photosynthetic Activity	Apply 1.5-9 oz./1000 ft <sup>2</sup> (4.8-29 L/Ha) as a foliar application every 1 to 2 weeks. Water in.



The Redox logo consists of the word "Redox" in a white, sans-serif font. A green checkmark is positioned to the right of the text, with its tail extending upwards and to the right.

## HANDLING GUIDELINES

### PRE-MIXING

Pre-mixing is considered a best practice when sprayer agitation is not optimum. Proper hydration is essential for all applications. Recirculate or agitate while adding material.

**ONCE THE MATERIAL IS ADDED TO WATER, CONSTANT AGITATION IS REQUIRED.**

### COMPATABILITY

Always jar test first.

Redox products are compatible with other Redox products when following product handling guidelines.

Use caution with reactive materials.

Avoid extreme shifts in tank pH. When utilizing Redox materials that acidify, check tank pH prior to adding buffers.

### TANK MIXING/INJECTION

Use of an anti-foaming agent is recommended. Fill the tank 50% full with water and initiate tank agitation prior to adding materials.

Don't add material too quickly—this allows for more thorough hydration.

The use of inductor assemblies is encouraged.

Recirculate or agitate while adding material.

**ONCE THE MATERIAL IS ADDED TO WATER, CONSTANT AGITATION IS REQUIRED.**

Rinse after use.

*REFER TO PRODUCT HANDLING GUIDELINES FOR ADDITIONAL MIXING INSTRUCTIONS.*